LIFE /



5

iiii

Fabricant de machines à café professionnelles

LIFE

Extraction temperature stability and group adjustment of temperatures. LIFE and LIFE HIGH CUP prove their performances whatever the user, the volume and the environment.



- Mixed hot water programmable in 2 temperatures and dose - Replacement on request of the buttons by manual taps for steam and hot water

- Eco standby mode: the machine goes into standby mode when not in use, heating is regulated to 80°, water and electricity supply is reduced.

- Anti-Pics: eliminates temperature variations during the different coffee cycles, thanks to a mixer tap.

Side panels colours : 🔵 🔵

- Electromagnetic rotary pump: 120 L/h on 1 and 2 groups, 200 L/h on 3 groups

- GID-R. : Possibility to set the temperature of each group independently.

- Adjustable PID: electronic boiler temperature control

- Coffee circuit cleaning program: press buttons 1 and 5 simultaneously to start a cycle - Volumetric coffee program: 5 selections per group

- Milk foamer «Latte Art», «Double Latte Art» and «Latte Art Teflon» option: 4 programs: Latte / Hot milk / Capuccinno / Flat White

LIFE		1 GROUP	2 GROUPS	3 GROUPS
Steam Nozzle		1	1 or 2	1 or 2
Hot Water		1	1	1
Latte Art		Available	Available	Available
Boiler Capacity		6,2L	11,4L	18,7L
Connection		230V 50/60Hz	230V 50/60Hz 400V 50/60Hz	230V 50/60Hz 400V 50/60Hz
Power		2100W	3300W 3800W	4200W 6200W
Dimension	Weight	42kg	60kg	80kg
	Width	430mm	710mm	930mm
	Height	510mm	510mm	510mm
	Depth	510mm	510mm	510mm

Machine Finition : Shiny Stainless Steel



Backlighted Logo option ______elegantly enhances your machine if the back is in sight

LIFE HIGH CUP

Ergonomics, design and technologies adapted for drinks in high cups. Retractable drawers allow the height of the worktop to be shortened to work with small cups as well.









Colour options available on Life and Life High Cup: Dark Edition / Black & White / Black

LIFE HIGH CUP		2 GROUPS	3 GROUPS
Steam Nozzle		l or 2	l or 2
Hot Water		1	1
Latte Art		Available	Available
Boiler Capacity		11,4L	18,7L
Connection		230V 50/60Hz 400V 50/60Hz	230V 50/60Hz 400V 50/60Hz
Power		3300W 3800W	4200W 6200W
Dimension	Weight	76kg	95kg
	Width	710mm	930mm
	Height	600mm	600mm
	Depth	510mm	510mm

ALL OUR MACHINE ARE SOLD :

- 1 standard filter holder 1 cup and filter (7 gr)

- 1 standard filter holder 2 cups (16 gr) for each group and filter(s)
- 1 box of 30 cleaning tablets for espresso machine
- 1 cleaning brush and 1 obturator
- 1 metal braid for water supply 3/8"
- 1 flexible plastic tube for water drainage



www.reneka.com

